

DNS-Zoneneinträge für Jabber

Für unseren Jabber-Server wurde eine eigene DNS-Zone jabber.hot-chilli.net eingerichtet. Hier die relevanten Auszüge aus dem Zone-File (BIND9):

	IN	A	5.9.28.6
	IN	AAAA	2a01:4f8:161:1001::2
	IN	LOC	49 05 52 N 12 29 10 E 560m 200m 600m 25m
aim	IN	A	5.9.28.6
	IN	AAAA	2a01:4f8:161:1001::2
	IN	LOC	49 05 52 N 12 29 10 E 560m 200m 600m 25m
anon	IN	A	5.9.28.6
	IN	AAAA	2a01:4f8:161:1001::2
	IN	LOC	49 05 52 N 12 29 10 E 560m 200m 600m 25m
aspsms	IN	A	5.9.28.6
	IN	AAAA	2a01:4f8:161:1001::2
	IN	LOC	49 05 52 N 12 29 10 E 560m 200m 600m 25m
conference	IN	A	5.9.28.6
	IN	AAAA	2a01:4f8:161:1001::2
	IN	LOC	49 05 52 N 12 29 10 E 560m 200m 600m 25m
disk	IN	A	5.9.28.6
	IN	AAAA	2a01:4f8:161:1001::2
	IN	LOC	49 05 52 N 12 29 10 E 560m 200m 600m 25m
echo	IN	A	5.9.28.6
	IN	AAAA	2a01:4f8:161:1001::2
	IN	LOC	49 05 52 N 12 29 10 E 560m 200m 600m 25m
facebook	IN	A	5.9.28.6
	IN	AAAA	2a01:4f8:161:1001::2
	IN	LOC	49 05 52 N 12 29 10 E 560m 200m 600m 25m
gg	IN	A	5.9.28.6
	IN	AAAA	2a01:4f8:161:1001::2
	IN	LOC	49 05 52 N 12 29 10 E 560m 200m 600m 25m
icq	IN	A	5.9.28.6
	IN	AAAA	2a01:4f8:161:1001::2
	IN	LOC	49 05 52 N 12 29 10 E 560m 200m 600m 25m
identica	IN	A	5.9.28.6
	IN	AAAA	2a01:4f8:161:1001::2
	IN	LOC	49 05 52 N 12 29 10 E 560m 200m 600m 25m

irc	IN	A	5.9.28.6
	IN	AAAA	2a01:4f8:161:1001::2
	IN	LOC	49 05 52 N 12 29 10 E 560m 200m 600m 25m
j2j	IN	A	5.9.28.6
	IN	AAAA	2a01:4f8:161:1001::2
	IN	LOC	49 05 52 N 12 29 10 E 560m 200m 600m 25m
jmc	IN	A	5.9.28.6
	IN	AAAA	2a01:4f8:161:1001::2
	IN	LOC	49 05 52 N 12 29 10 E 560m 200m 600m 25m
msn	IN	A	5.9.28.6
	IN	AAAA	2a01:4f8:161:1001::2
	IN	LOC	49 05 52 N 12 29 10 E 560m 200m 600m 25m
myspace	IN	A	5.9.28.6
	IN	AAAA	2a01:4f8:161:1001::2
	IN	LOC	49 05 52 N 12 29 10 E 560m 200m 600m 25m
novell	IN	A	5.9.28.6
	IN	AAAA	2a01:4f8:161:1001::2
	IN	LOC	49 05 52 N 12 29 10 E 560m 200m 600m 25m
proxy	IN	A	5.9.28.6
	IN	AAAA	2a01:4f8:161:1001::2
	IN	LOC	49 05 52 N 12 29 10 E 560m 200m 600m 25m
pubsub	IN	A	5.9.28.6
	IN	AAAA	2a01:4f8:161:1001::2
	IN	LOC	49 05 52 N 12 29 10 E 560m 200m 600m 25m
qq	IN	A	5.9.28.6
	IN	AAAA	2a01:4f8:161:1001::2
	IN	LOC	49 05 52 N 12 29 10 E 560m 200m 600m 25m
rss	IN	A	5.9.28.6
	IN	AAAA	2a01:4f8:161:1001::2
	IN	LOC	49 05 52 N 12 29 10 E 560m 200m 600m 25m
server	IN	A	5.9.28.28
;	IN	AAAA	2a01:4f8:161:1001::2
	IN	LOC	49 05 52 N 12 29 10 E 560m 200m 600m 25m
simple	IN	A	5.9.28.6
	IN	AAAA	2a01:4f8:161:1001::2
	IN	LOC	49 05 52 N 12 29 10 E 560m 200m 600m 25m
sipe	IN	A	5.9.28.6
	IN	AAAA	2a01:4f8:161:1001::2

	IN	LOC	49 05 52 N 12 29 10 E 560m 200m 600m 25m
skype	IN	A	5.9.28.6
	IN	AAAA	2a01:4f8:161:1001::2
	IN	LOC	49 05 52 N 12 29 10 E 560m 200m 600m 25m
twitter	IN	A	5.9.28.6
	IN	AAAA	2a01:4f8:161:1001::2
	IN	LOC	49 05 52 N 12 29 10 E 560m 200m 600m 25m
vjud	IN	A	5.9.28.6
	IN	AAAA	2a01:4f8:161:1001::2
	IN	LOC	49 05 52 N 12 29 10 E 560m 200m 600m 25m
whatsapp	IN	A	5.9.28.6
	IN	LOC	49 05 52 N 12 29 10 E 560m 200m 600m 25m
xmpp	IN	A	5.9.28.6
	IN	AAAA	2a01:4f8:161:1001::2
	IN	LOC	49 05 52 N 12 29 10 E 560m 200m 600m 25m
yahoo	IN	A	5.9.28.6
	IN	AAAA	2a01:4f8:161:1001::2
	IN	LOC	49 05 52 N 12 29 10 E 560m 200m 600m 25m
_xmpp-client._tcp jabber.hot-chilli.net.	IN	SRV	0 0 5222
_xmpp-server._tcp jabber.hot-chilli.net.	IN	SRV	0 0 5269
_xmppconnect xbosh=https://jabber.hot-chilli.net:443/http-bind"	IN	TXT	"_xmpp-client-
_xmppconnect websocket=wss://jabber.hot-chilli.net:443/xmpp-websocket"	IN	TXT	"_xmpp-client-
_xmpp-server._tcp.aim jabber.hot-chilli.net.	IN	SRV	0 0 5269
_xmpp-server._tcp.aspsms jabber.hot-chilli.net.	IN	SRV	0 0 5269
_xmpp-server._tcp.conference jabber.hot-chilli.net.	IN	SRV	0 0 5269
_xmpp-server._tcp.disk jabber.hot-chilli.net.	IN	SRV	0 0 7778
_xmpp-server._tcp.echo jabber.hot-chilli.net.	IN	SRV	0 0 5269

_xmpp-server._tcp.facebook jabber.hot-chilli.net.	IN	SRV	0	0	5269
_xmpp-server._tcp.gg jabber.hot-chilli.net.	IN	SRV	0	0	5269
_xmpp-server._tcp.icq jabber.hot-chilli.net.	IN	SRV	0	0	5269
_xmpp-server._tcp.identica jabber.hot-chilli.net.	IN	SRV	0	0	5269
_xmpp-server._tcp.irc jabber.hot-chilli.net.	IN	SRV	0	0	5269
_xmpp-server._tcp.j2j jabber.hot-chilli.net.	IN	SRV	0	0	5269
_xmpp-server._tcp.jmc jabber.hot-chilli.net.	IN	SRV	0	0	5269
_xmpp-server._tcp.msn jabber.hot-chilli.net.	IN	SRV	0	0	5269
_xmpp-server._tcp.myspace jabber.hot-chilli.net.	IN	SRV	0	0	5269
_xmpp-server._tcp.qq jabber.hot-chilli.net.	IN	SRV	0	0	5269
_xmpp-server._tcp.rss jabber.hot-chilli.net.	IN	SRV	0	0	5269
_xmpp-server._tcp.simple jabber.hot-chilli.net.	IN	SRV	0	0	5269
_xmpp-server._tcp.skype jabber.hot-chilli.net.	IN	SRV	0	0	5269
_xmpp-server._tcp.twitter jabber.hot-chilli.net.	IN	SRV	0	0	5269
_xmpp-server._tcp.vjud jabber.hot-chilli.net.	IN	SRV	0	0	5269
_xmpp-server._tcp.whatsapp jabber.hot-chilli.net.	IN	SRV	0	0	5269
_xmpp-server._tcp.xmpp jabber.hot-chilli.net.	IN	SRV	0	0	5269

```

_xmpp-server._tcp.yahoo          IN      SRV      0      0      5269
jabber.hot-chilli.net.

_443._tcp      1H      IN      TLSA      3      0      1
a061283bfd4bdc8d5f747b0fc2e7eafc79aff13ea5a52df9c63c494d03d0c5b9

_5222._tcp      1H      IN      TLSA      3      0      1
00f0ba812feb857615d58fc1a5c1978b59b1ad5fa0370b2852e809a6262b3aa6

_5223._tcp      1H      IN      TLSA      3      0      1
00f0ba812feb857615d58fc1a5c1978b59b1ad5fa0370b2852e809a6262b3aa6

_5269._tcp      1H      IN      TLSA      3      0      1
00f0ba812feb857615d58fc1a5c1978b59b1ad5fa0370b2852e809a6262b3aa6

```

LOC-Einträge geben die geographische Lokation des Servers an. Es wird empfohlen, diese zu setzen, so weiß jeder genau, wo der Server sich befindet. Die Einträge sind aber vollkommen optional und können weggelassen werden.

Wichtig bei den SRV-Einträgen ist folgendes:

- Einen Client-Eintrag für Port 5223 nicht setzen, dies kann zu massiven Problem führen!
- Die Transports und Services sind (meist) über den Serverport 5269 erreichbar. Ausnahmen können hier der Disk Transport oder der Proxy sein, je nach eingesetzter Software.
- Ein Eintrag `_jabber._tcp.jabberdomain.tld` kann weggelassen werden, er ist veraltet, die neue Variante heisst `_xmpp-server._tcp.jabberdomain.tld`.
- Weitere Infos über SRV-Einträge: [RFC 2782](#)

From:
<https://wiki.hot-chilli.net/> - Hot-Chilli Wiki



Permanent link:
<https://wiki.hot-chilli.net/allgemeine-howtos/jabber-xmpp/dns-zoneneintraege-fuer-jabber>

Last update: **2016/01/18 23:24**