

# DNS-Zoneneinträge für Jabber

Für unseren Jabber-Server wurde eine eigene DNS-Zone jabber.hot-chilli.net eingerichtet. Hier die relevanten Auszüge aus dem Zone-File (BIND9):

	IN	A	5.9.28.6
	IN	AAAA	2a01:4f8:161:1001::2
	IN	LOC	49 05 52 N 12 29 10 E 560m 200m 600m 25m
aim	IN	A	5.9.28.6
	IN	AAAA	2a01:4f8:161:1001::2
	IN	LOC	49 05 52 N 12 29 10 E 560m 200m 600m 25m
anon	IN	A	5.9.28.6
	IN	AAAA	2a01:4f8:161:1001::2
	IN	LOC	49 05 52 N 12 29 10 E 560m 200m 600m 25m
aspsms	IN	A	5.9.28.6
	IN	AAAA	2a01:4f8:161:1001::2
	IN	LOC	49 05 52 N 12 29 10 E 560m 200m 600m 25m
conference	IN	A	5.9.28.6
	IN	AAAA	2a01:4f8:161:1001::2
	IN	LOC	49 05 52 N 12 29 10 E 560m 200m 600m 25m
disk	IN	A	5.9.28.6
	IN	AAAA	2a01:4f8:161:1001::2
	IN	LOC	49 05 52 N 12 29 10 E 560m 200m 600m 25m
echo	IN	A	5.9.28.6
	IN	AAAA	2a01:4f8:161:1001::2
	IN	LOC	49 05 52 N 12 29 10 E 560m 200m 600m 25m
facebook	IN	A	5.9.28.6
	IN	AAAA	2a01:4f8:161:1001::2
	IN	LOC	49 05 52 N 12 29 10 E 560m 200m 600m 25m
gg	IN	A	5.9.28.6
	IN	AAAA	2a01:4f8:161:1001::2
	IN	LOC	49 05 52 N 12 29 10 E 560m 200m 600m 25m
icq	IN	A	5.9.28.6
	IN	AAAA	2a01:4f8:161:1001::2
	IN	LOC	49 05 52 N 12 29 10 E 560m 200m 600m 25m
identica	IN	A	5.9.28.6
	IN	AAAA	2a01:4f8:161:1001::2
	IN	LOC	49 05 52 N 12 29 10 E 560m 200m 600m 25m

irc	IN	A	5.9.28.6
	IN	AAAA	2a01:4f8:161:1001::2
	IN	LOC	49 05 52 N 12 29 10 E 560m 200m 600m 25m
j2j	IN	A	5.9.28.6
	IN	AAAA	2a01:4f8:161:1001::2
	IN	LOC	49 05 52 N 12 29 10 E 560m 200m 600m 25m
jmc	IN	A	5.9.28.6
	IN	AAAA	2a01:4f8:161:1001::2
	IN	LOC	49 05 52 N 12 29 10 E 560m 200m 600m 25m
msn	IN	A	5.9.28.6
	IN	AAAA	2a01:4f8:161:1001::2
	IN	LOC	49 05 52 N 12 29 10 E 560m 200m 600m 25m
myspace	IN	A	5.9.28.6
	IN	AAAA	2a01:4f8:161:1001::2
	IN	LOC	49 05 52 N 12 29 10 E 560m 200m 600m 25m
novell	IN	A	5.9.28.6
	IN	AAAA	2a01:4f8:161:1001::2
	IN	LOC	49 05 52 N 12 29 10 E 560m 200m 600m 25m
proxy	IN	A	5.9.28.6
	IN	AAAA	2a01:4f8:161:1001::2
	IN	LOC	49 05 52 N 12 29 10 E 560m 200m 600m 25m
pubsub	IN	A	5.9.28.6
	IN	AAAA	2a01:4f8:161:1001::2
	IN	LOC	49 05 52 N 12 29 10 E 560m 200m 600m 25m
qq	IN	A	5.9.28.6
	IN	AAAA	2a01:4f8:161:1001::2
	IN	LOC	49 05 52 N 12 29 10 E 560m 200m 600m 25m
rss	IN	A	5.9.28.6
	IN	AAAA	2a01:4f8:161:1001::2
	IN	LOC	49 05 52 N 12 29 10 E 560m 200m 600m 25m
server ;	IN	A	5.9.28.28
	IN	AAAA	2a01:4f8:161:1001::2
	IN	LOC	49 05 52 N 12 29 10 E 560m 200m 600m 25m
simple	IN	A	5.9.28.6
	IN	AAAA	2a01:4f8:161:1001::2
	IN	LOC	49 05 52 N 12 29 10 E 560m 200m 600m 25m
sipe	IN	A	5.9.28.6
	IN	AAAA	2a01:4f8:161:1001::2

	IN	LOC	49 05 52 N 12 29 10 E 560m 200m 600m 25m
skype	IN	A	5.9.28.6
	IN	AAAA	2a01:4f8:161:1001::2
	IN	LOC	49 05 52 N 12 29 10 E 560m 200m 600m 25m
twitter	IN	A	5.9.28.6
	IN	AAAA	2a01:4f8:161:1001::2
	IN	LOC	49 05 52 N 12 29 10 E 560m 200m 600m 25m
vjud	IN	A	5.9.28.6
	IN	AAAA	2a01:4f8:161:1001::2
	IN	LOC	49 05 52 N 12 29 10 E 560m 200m 600m 25m
whatsapp	IN	A	5.9.28.6
	IN	LOC	49 05 52 N 12 29 10 E 560m 200m 600m 25m
xmpp	IN	A	5.9.28.6
	IN	AAAA	2a01:4f8:161:1001::2
	IN	LOC	49 05 52 N 12 29 10 E 560m 200m 600m 25m
yahoo	IN	A	5.9.28.6
	IN	AAAA	2a01:4f8:161:1001::2
	IN	LOC	49 05 52 N 12 29 10 E 560m 200m 600m 25m
_xmpp-client._tcp jabber.hot-chilli.net.	IN	SRV	0 0 5222
_xmpp-server._tcp jabber.hot-chilli.net.	IN	SRV	0 0 5269
_xmppconnect	IN	TXT	"_xmpp-client-xbosh=https://jabber.hot-chilli.net:443/http-bind"
_xmppconnect	IN	TXT	"_xmpp-client-websocket=wss://jabber.hot-chilli.net:443/xmpp-websocket"
_xmpp-server._tcp.aim jabber.hot-chilli.net.	IN	SRV	0 0 5269
_xmpp-server._tcp.aspsms jabber.hot-chilli.net.	IN	SRV	0 0 5269
_xmpp-server._tcp.conference jabber.hot-chilli.net.	IN	SRV	0 0 5269
_xmpp-server._tcp.disk jabber.hot-chilli.net.	IN	SRV	0 0 7778
_xmpp-server._tcp.echo jabber.hot-chilli.net.	IN	SRV	0 0 5269

_xmpp-server._tcp.facebookjabber.hot-chilli.net.	IN	SRV	0	0	5269
_xmpp-server._tcp.ggjabber.hot-chilli.net.	IN	SRV	0	0	5269
_xmpp-server._tcp.icqjabber.hot-chilli.net.	IN	SRV	0	0	5269
_xmpp-server._tcp.identicajabber.hot-chilli.net.	IN	SRV	0	0	5269
_xmpp-server._tcp.ircjabber.hot-chilli.net.	IN	SRV	0	0	5269
_xmpp-server._tcp.j2jabber.hot-chilli.net.	IN	SRV	0	0	5269
_xmpp-server._tcp.jmcjabber.hot-chilli.net.	IN	SRV	0	0	5269
_xmpp-server._tcp.msnjabber.hot-chilli.net.	IN	SRV	0	0	5269
_xmpp-server._tcp.myspacejabber.hot-chilli.net.	IN	SRV	0	0	5269
_xmpp-server._tcp.qqjabber.hot-chilli.net.	IN	SRV	0	0	5269
_xmpp-server._tcp.rssjabber.hot-chilli.net.	IN	SRV	0	0	5269
_xmpp-server._tcp.simplejabber.hot-chilli.net.	IN	SRV	0	0	5269
_xmpp-server._tcp.skypejabber.hot-chilli.net.	IN	SRV	0	0	5269
_xmpp-server._tcp.twitterjabber.hot-chilli.net.	IN	SRV	0	0	5269
_xmpp-server._tcp.vjudjabber.hot-chilli.net.	IN	SRV	0	0	5269
_xmpp-server._tcp.whatsappjabber.hot-chilli.net.	IN	SRV	0	0	5269
_xmpp-server._tcp.xmppjabber.hot-chilli.net.	IN	SRV	0	0	5269

<code>_xmpp-server._tcp.yahoo</code>		IN	SRV	0	0	5269
<code>jabber.hot-chilli.net.</code>						
<code>_443._tcp</code>	1H	IN	TLSA	3	0	1
<code>a061283bfd4bdc8d5f747b0fc2e7eafc79aff13ea5a52df9c63c494d03d0c5b9</code>						
<code>_5222._tcp</code>	1H	IN	TLSA	3	0	1
<code>00f0ba812feb857615d58fc1a5c1978b59b1ad5fa0370b2852e809a6262b3aa6</code>						
<code>_5223._tcp</code>	1H	IN	TLSA	3	0	1
<code>00f0ba812feb857615d58fc1a5c1978b59b1ad5fa0370b2852e809a6262b3aa6</code>						
<code>_5269._tcp</code>	1H	IN	TLSA	3	0	1
<code>00f0ba812feb857615d58fc1a5c1978b59b1ad5fa0370b2852e809a6262b3aa6</code>						

LOC-Einträge geben die geographische Lokation des Servers an. Es wird empfohlen, diese zu setzen, so weiß jeder genau, wo der Server sich befindet. Die Einträge sind aber vollkommen optional und können weggelassen werden.

**Wichtig bei den SRV-Einträgen ist folgendes:**

- Einen Client-Eintrag für Port 5223 nicht setzen, dies kann zu massiven Problem führen!
- Die Transports und Services sind (meist) über den Serverport 5269 erreichbar. Ausnahmen können hier der Disk Transport oder der Proxy sein, je nach eingesetzter Software.
- Ein Eintrag `jabber._tcp.jabberdomain.tld` kann weggelassen werden, er ist veraltet, die neue Variante heisst `_xmpp-server._tcp.jabberdomain.tld`.
- Weitere Infos über SRV-Einträge: [RFC 2782](#)

From: <https://wiki.hot-chilli.net/> - **Hot-Chilli Wiki**

Permanent link: <https://wiki.hot-chilli.net/allgemeine-howtos/jabber-xmpp/dns-zoneneintraege-fuer-jabber>

Last update: **2016/01/18 23:24**

